| | | 2 | 008 Actual | | 2015 Projected |
|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physician Specialty | | Population | Physicians | /100k | Population |
| Emergency Medicine | | 20,853 | 1 | 4.8 | 22,477 |
| National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| AMA | 10.5 | 2 | Deficit: | -1 | 2 |
| Two Mature HMO | 5.5 | 1 | Adequate | 0 | 1 |
| Adjusted FTE | 5.2 | 1 | Adequate | 0 | 1 |
| GMENAC | 5.4 | 1 | Adequate | 0 | 1 |
| Kaiser Portland | 6.7 | 1 | Adequate | 0 | 1 |
| 7 Kaiser Plans | 5.3 | 1 | Adequate | 0 | 1 |
| GHC Seattle | | | | | |
| Three HMOs | | | | | |
| Goodman | 2.7 | 1 | Adequate | 0 | 1 |
| Hicks & Glenn | | | | | |
| Solucient | 12.4 | 3 | Deficit: | -2 | 3 |
| Average Requirement | 6.2 | 1 | Adequate | 0 | 1 |

| | | | 2 | 008 Actual | | 2015 Projected |
|--------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physic | cian Specialty | | Population | Physicians | /100k | Population |
| Famil | y Practice | | 20,853 | 4 | 19.2 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| | AMA | 31.5 | 7 | Deficit: | -3 | 7 |
| | Two Mature HMO | 45.6 | 10 | Deficit: | -6 | 10 |
| | Adjusted FTE | 42.6 | 9 | Deficit: | -5 | 10 |
| | GMENAC | 25.2 | 5 | Deficit: | -1 | 6 |
| | Kaiser Portland | 16.7 | 3 | Surplus: | 1 | 2 |
| | 7 Kaiser Plans | 11.0 | 2 | Surplus: | 2 | 2 |
| | GHC Seattle | | | | | |
| | Three HMOs | 9.2 | 2 | Surplus: | 2 | 2 |
| | Goodman | | | | | |
| | Hicks & Glenn | 16.2 | 3 | Surplus: | 1 | 4 |
| | Solucient | 22.5 | 5 | Deficit: | -1 | 5 |
| | Average Requirement | 23.6 | 5 | Deficit: | -1 | 5 |

| | | 2 | 008 Actual | | 2015 Projected |
|----------------------------------|---------------------------------|-------------------|------------|-------|-------------------|
| Physician Specialty | Physician Specialty | | Physicians | /100k | Population |
| Internal Medicine | | 20,853 | 6 | 28.8 | 22,477 |
| National Physicial Standards* | n Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| AMA | 53.1 | 11 | Deficit: | -5 | 12 |
| Two Mature HMC | 21.4 | 4 | Surplus: | 2 | 5 |
| Adjusted FTE | 20.0 | 4 | Surplus: | 2 | 4 |
| GMENAC | 28.8 | 6 | Adequate | 0 | 6 |
| Kaiser Portland | 28.1 | 6 | Adequate | 0 | 7 |
| 7 Kaiser Plans | 30.3 | 6 | Adequate | 0 | 7 |
| GHC Seattle | | | | | |
| Three HMOs | 16.7 | 3 | Surplus: | 3 | 4 |
| Goodman | | | | | |
| Hicks & Glenn | 11.3 | 2 | Surplus: | 4 | 3 |
| Solucient | 19.0 | 4 | Surplus: | 2 | 4 |
| Average Requirer | ment 22.0 | 5 | Surplus: | 1 | 5 |

| | | | 2 | 008 Actual | | 2015 Projected |
|--------------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physician | Physician Specialty | | Population | Physicians | /100k | Population |
| OB/GYN | | | 20,853 | 1 | 4.8 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| - | AMA | 14.1 | 3 | Deficit: | -2 | 3 |
| - | Two Mature HMO | 12.1 | 3 | Deficit: | -2 | 3 |
| - | Adjusted FTE | 11.3 | 2 | Deficit: | -1 | 3 |
| - | GMENAC | 9.9 | 2 | Deficit: | -1 | 2 |
| - | Kaiser Portland | 11.6 | 2 | Deficit: | -1 | 3 |
| - | 7 Kaiser Plans | 11.5 | 2 | Deficit: | -1 | 3 |
| - | GHC Seattle | 10.0 | 2 | Deficit: | -1 | 2 |
| - | Three HMOs | 8.8 | 2 | Deficit: | -1 | 2 |
| - | Goodman | 8.4 | 2 | Deficit: | -1 | 2 |
| - | Hicks & Glenn | 8.0 | 2 | Deficit: | -1 | 2 |
| - | Solucient | 10.2 | 2 | Deficit: | -1 | 2 |
| - | Average Requirement | 10.2 | 2 | Deficit: | -1 | 2 |

| | | | 2 | 008 Actual | | 2015 Projected |
|-----------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physician | Physician Specialty | | Population | Physicians | /100k | Population |
| Orthoped | ic Surgery | | 20,853 | 1 | 4.8 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| _ | AMA | 8.3 | 2 | Deficit: | -1 | 2 |
| _ | Two Mature HMO | 6.8 | 1 | Adequate | 0 | 2 |
| _ | Adjusted FTE | 6.4 | 1 | Adequate | 0 | 1 |
| _ | GMENAC | 6.0 | 1 | Adequate | 0 | 1 |
| = | Kaiser Portland | 5.9 | 1 | Adequate | 0 | 1 |
| _ | 7 Kaiser Plans | 4.2 | 1 | Adequate | 0 | 1 |
| _ | GHC Seattle | 6.7 | 1 | Adequate | 0 | 2 |
| = | Three HMOs | 3.0 | 1 | Adequate | 0 | 1 |
| _ | Goodman | 5.9 | 1 | Adequate | 0 | 1 |
| _ | Hicks & Glenn | 4.2 | 1 | Adequate | 0 | 1 |
| = | Solucient | 6.1 | 1 | Adequate | 0 | 1 |
| | Average Requirement | 5.5 | 1 | Adequate | 0 | 1 |

| | | | 2 | 008 Actual | | 2015 Projected |
|-----------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physician | Physician Specialty | | Population | Physicians | /100k | Population |
| Patholog | у | | 20,853 | 1 | 4.8 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| , | AMA | 6.3 | 1 | Adequate | 0 | 1 |
| | Two Mature HMO | 1.9 | 0 | Surplus: | 1 | 0 |
| • | Adjusted FTE | 1.8 | 0 | Surplus: | 1 | 0 |
| • | GMENAC | 6.4 | 1 | Adequate | 0 | 1 |
| • | Kaiser Portland | 3.3 | 1 | Adequate | 0 | 0 |
| • | 7 Kaiser Plans | 1.8 | 0 | Surplus: | 1 | 0 |
| • | GHC Seattle | | | | | |
| | Three HMOs | | | | | |
| • | Goodman | 4.1 | 1 | Adequate | 0 | 1 |
| • | Hicks & Glenn | | | | | |
| • | Solucient | | | | | |
| • | Average Requirement | 3.2 | 1 | Adequate | 0 | 1 |

| | | | 2 | 008 Actual | | 2015 Projected |
|---------------------|----------------------------------|-------------------------------|-------------------|------------|------------|-------------------|
| Physician Specialty | | Population | Physicians | /100k | Population | |
| Pediatrio | S | | 20,853 | 5 | 24.0 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| | AMA | 24.9 | 5 | Adequate | 0 | 6 |
| | Two Mature HMO | 16.6 | 3 | Surplus: | 2 | 4 |
| | Adjusted FTE | 15.5 | 3 | Surplus: | 2 | 3 |
| | GMENAC | 12.4 | 3 | Surplus: | 2 | 3 |
| | Kaiser Portland | 11.9 | 2 | Surplus: | 3 | 4 |
| | 7 Kaiser Plans | 16.0 | 3 | Surplus: | 2 | 4 |
| | GHC Seattle | | | | | |
| | Three HMOs | 9.8 | 2 | Surplus: | 3 | 2 |
| | Goodman | | | | | |
| | Hicks & Glenn | 7.6 | 2 | Surplus: | 3 | 2 |
| | Solucient | 13.9 | 3 | Surplus: | 2 | 3 |
| | Average Requirement | 13.0 | 3 | Surplus: | 2 | 3 |

| | | | 2 | 008 Actual | | 2015 Projected |
|----------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physicia | an Specialty | | Population | Physicians | /100k | Population |
| Psychia | try | | 20,853 | 1 | 4.8 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| | AMA | 13.6 | 3 | Deficit: | -2 | 3 |
| | Two Mature HMO | 7.7 | 2 | Deficit: | -1 | 2 |
| | Adjusted FTE | 7.2 | 2 | Deficit: | -1 | 2 |
| | GMENAC | 15.4 | 3 | Deficit: | -2 | 3 |
| | Kaiser Portland | 5.2 | 1 | Adequate | 0 | 1 |
| | 7 Kaiser Plans | 4.1 | 1 | Adequate | 0 | 1 |
| | GHC Seattle | | | | | |
| | Three HMOs | | | | | |
| | Goodman | 7.2 | 2 | Deficit: | -1 | 2 |
| | Hicks & Glenn | 3.9 | 1 | Adequate | 0 | 1 |
| | Solucient | 5.7 | 1 | Adequate | 0 | 1 |
| | Average Requirement | 7.1 | 1 | Adequate | 0 | 2 |

| | | | 2 | 008 Actual | | 2015 Projected |
|-------------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physician S | Physician Specialty | | Population | Physicians | /100k | Population |
| Radiology | | | 20,853 | 1 | 4.8 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| _ | AMA | 11.4 | 2 | Deficit: | -1 | 3 |
| | Two Mature HMO | 13.6 | 3 | Deficit: | -2 | 3 |
| _ | Adjusted FTE | 13.7 | 3 | Deficit: | -2 | 3 |
| _ | GMENAC | 7.7 | 2 | Deficit: | -1 | 2 |
| _ | Kaiser Portland | 8.5 | 2 | Deficit: | -1 | 1 |
| _ | 7 Kaiser Plans | 4.7 | 1 | Adequate | 0 | 1 |
| _ | GHC Seattle | 7.7 | 2 | Deficit: | -1 | 2 |
| _ | Three HMOs | | | | | |
| _ | Goodman | 8.0 | 2 | Deficit: | -1 | 2 |
| _ | Hicks & Glenn | | | | | |
| _ | Solucient | | | | | |
| _ | Average Requirement | 9.1 | 2 | Deficit: | -1 | 2 |

| | | | 2 | 008 Actual | | 2015 Projected |
|--------|----------------------------------|-------------------------------|-------------------|------------|-------|-------------------|
| Physic | Physician Specialty | | Population | Physicians | /100k | Population |
| Gener | ral Surgery | | 20,853 | 4 | 19.2 | 22,477 |
| | National Physician Standards* | Standard Phys/100,000 Pop. | Physician Need | Sta | tus | Physician Need |
| | AMA | 12.5 | 3 | Surplus: | 1 | 3 |
| | Two Mature HMO | 9.4 | 2 | Surplus: | 2 | 2 |
| | Adjusted FTE | 8.8 | 2 | Surplus: | 2 | 2 |
| | GMENAC | 9.7 | 2 | Surplus: | 2 | 2 |
| | Kaiser Portland | 7.0 | 1 | Surplus: | 3 | 1 |
| | 7 Kaiser Plans | 6.2 | 1 | Surplus: | 3 | 1 |
| | GHC Seattle | 5.9 | 1 | Surplus: | 3 | 1 |
| | Three HMOs | 4.2 | 1 | Surplus: | 3 | 1 |
| | Goodman | 9.7 | 2 | Surplus: | 2 | 2 |
| | Hicks & Glenn | 4.1 | 1 | Surplus: | 3 | 1 |
| | Solucient | 6.0 | 1 | Surplus: | 3 | 1 |
| | Average Requirement | 7.1 | 1 | Surplus: | 3 | 2 |

Report created by Georgia Board for Physician Workforce, State of Georgia

- *Standards are presented as rates per 100,000 population
- (1) McClendon, B., R.Polizer, E. Christain, and E. Fernandez. 1997. Downsizing the Physician Workforce. Public Health Reports. May/June 112:231-239.
- (2) Graduate Medical Education National Advisory Committee Summary Report. 1981. Pub. No. (HRA) 81-651. Washington: Government Printing Office.
- (3) American Medical Association. 1996. Physician Characteristics and Distribution in the US: 1995/1996. Chicago.
- (4) American Osteopathic Association. 1993. 1994 Yearbook and Directory of Osteopathic Physicians. Chicago.
- (5) Hart, L., E. Wagner, J. Parzada, A.Nelson, and R.Rosenblah. 1997. Physician Staffing Ratios in Staff- Model HMO's: A Cautionary Tale, Health Affairs 16, no. 1:55-70.
- (6) Weiner, J.P. 1994 Forecasting the Effects of Health Reform on U.S. Physician Workforce Requirement. JAMA 272, no. 3:222-230.
- (7) Steinwachs, D., J.P. Weiner, S. Shapiro, et al. 1986. A Comparison of the Requirements for Primary Care Physicians in with Projections Made by the Graduate Medical National Advisory Committee. New England Journal of Medicine 314:217-222.
- (8) Kronick, R., D.C. Goodman, J. Wennberg, and E.Wagner. 1993. The Marketplace in Health Care Reform: The Demographic Limitations of Managed Competition. New England Journal of Medicine 328:1480152. See also, related NAPS Document 04998.
- (9) Vansdow, N.A. The Physician Workforce: Issues for Academic Medical Centers. Forum on the Future of Academic Medicine. December 2, 1996.
- (10) Forte, G.J., Dionne, M., Beaulieu, M., and Salsberg, E. Profile of New York State Physicians. Rensselaer, NY: Center for Health Workforce Studies, School of Public Health, SUNY Albany. April 2001.
- (11) A Review of Physician-to-Population Ratios. Merritt Hawkins & Associates. GMENAC, Goodman (Dec. 11, 1996 JAMA), Hicks & Glenn (1989 Journal of Health Care Management), Solucient (2003).
- (12) American Medical Association. Physician Characteristics and Distribution in the US, 2010 Edition; 2010.